

## **Product Handling Information Sheet**

### Polystone<sup>®</sup> G-black B

1.	Company	
	Name/Address:	Röchling Engineering Plastics KG Röchlingstr. 1 D-49733 Haren/Germany
		Tel.: +49 5934 701-0, Fax –300 info@roechling-plastics.com www.roechling.com
2.	Product details	
	Product/Article:	Technical semi-finished product or machined part
	Abbreviated terms:	PP-HD / PE 300
	Material characterisation:	Semi crystalline plastic
	Main components:	Polyethylene, Stabiliser, Additives
	Components subject to labelling:	None
	Classification according to REACh:	Article
	Notes:	-
3.	Product characteristics	
	Form/State:	Firm
	Colour:	Black
	Odour:	Nearly odourless
	Density:	0,93 – 0,98 g/cm³ (ISO 1183)
	Melting range:	100°C – 140°C (DSC)
	Glass transition temperature:	-
	Thermal decomposition:	> 390°C
	Flash point:	≈ 340°C
	Ignition temperature:	> 350°C



# **Product Handling Information Sheet**

#### Polystone<sup>®</sup> G-black B

4.	Danger warnings	
	Special risks for mankind and the environment:	None
	Notes:	-
5.	Handling and Storage	
	Handling:	Product can be worked with commercially machines and tools.
		Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions
	Storage:	Horizontally, dry, protected against frost and climatic influences
	Safety measures:	-
	Notes:	-
6.	Transport	
	Transport:	Non dangerous goods according to the transport regulations
		Secure against slipping
	Notes:	-
7.	Fire – fighting measures	
	Suitable extinguishing agents:	Water, foam, carbon dioxide (CO <sub>2</sub> ), dry powder extinguishing agents
	Potential combustion products:	CO, CO <sub>2</sub>
	Necessary protection equipment:	Complete protection equipment for fire-brigade
		Use self-contained air respirators during strong smoke and steam development
	Notes:	Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions



## **Product Handling Information Sheet**

#### Polystone<sup>®</sup> G-black B

8.	Disposal references		
	Recyclability:	Check possibility of recycling	
	EC Waste Catalogue:	The product is classified in accordance with the European-Waste Catalogue (EWC) as "Not dangerous"	
	EC Waste Code:	<ul><li>120105 Plastics shavings and turnings</li><li>200139 Plastics of Separately collected fractions</li></ul>	
	Waste removal:	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations	
	Notes:	-	
9.	References to marking, guidelines and regulations		
	Marking in accordance with EEC-guidelines:	No labelling required	

10. Information about REACh

Other guidelines:

Notes:

In accordance with the EU directive 1907/2006/EC (REACh), article 3, no. 3, our products are clearly defined as articles not subject to registration.

The European directive regarding chemicals no. 1907/2006 (REACh) enforced on 1st June 2007 stipulates Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. Our products do not fall under this scope of REACh.

#### 11. Other information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.